

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Classic-Craft	6/8	Fiberglass	Opaque	X	Inswing & Outswing	90	50
Classic-Craft	8/0	Fiberglass	Opaque	X	Inswing & Outswing	75	50
Classic-Craft	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+50 -55	50
Classic-Craft	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+60 -65	50
Classic-Craft	6/8	Fiberglass	Opaque	OXO	Inswing & Outswing	+50 -55	50
Classic-Craft	8/0	Fiberglass	Opaque	OXO	Inswing & Outswing	+60 -65	50
Classic-Craft	6/8	Fiberglass	Opaque	XX	Inswing & Outswing	55	50
Classic-Craft	8/0	Fiberglass	Opaque	XX	Inswing & Outswing	47	47
Classic-Craft	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+55 -60	50
Classic-Craft	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	55	50
Classic-Craft	6/8	Fiberglass	Opaque	X/O	Inswing & Outswing	+50 -55	50
Classic-Craft	8/0	Fiberglass	Opaque	X/O	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	+50 -55	50
Classic-Craft	8/0	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Opaque	OXO/O	Inswing & Outswing	+50 -55	50
Classic-Craft	8/0	Fiberglass	Opaque	OXO/O	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Glazed	X	Inswing & Outswing	57	50
Classic-Craft	8/0	Fiberglass	Glazed	X	Inswing & Outswing	+60 -65	50
Classic-Craft	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	50	50
Classic-Craft	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+60 -65	50
Classic-Craft	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	50	50
Classic-Craft	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	+60 -65	50
Classic-Craft	6/8	Fiberglass	Glazed	XX	Inswing & Outswing	40	none
Classic-Craft	8/0	Fiberglass	Glazed	XX	Inswing & Outswing	40	none
Classic-Craft	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	65	50
Classic-Craft	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	65	50
Classic-Craft	8/0	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	65	50
Classic-Craft	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Glazed	X/O	Inswing & Outswing	50	50

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Classic-Craft	8/0	Fiberglass	Glazed	X/O	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	50	50
Classic-Craft	8/0	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Classic-Craft	6/8	Fiberglass	Glazed	OXO/O	Inswing & Outswing	50	50
Classic-Craft	8/0	Fiberglass	Glazed	OXO/O	Inswing & Outswing	None	none
Classic-Craft American	6/8	Fiberglass	Glazed	X	Inswing & Outswing	55	50
Classic-Craft American	8/0	Fiberglass	Glazed	X	Inswing & Outswing	+47-50	47
Classic-Craft American	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	55	50
Classic-Craft American	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+47-50	47
Classic-Craft American	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	55	50
Classic-Craft American	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	+47-50	47
Fiber-Classic	6/8	Fiberglass	Opaque	X	Inswing & Outswing	67	50
Fiber-Classic	8/0	Fiberglass	Opaque	X	Inswing & Outswing	67	50
Fiber-Classic	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+50 -55	50
Fiber-Classic	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+60 -65	50
Fiber-Classic	6/8	Fiberglass	Opaque	OXO	Inswing & Outswing	+50 -55	50
Fiber-Classic	8/0	Fiberglass	Opaque	OXO	Inswing & Outswing	+60 -65	50
Fiber-Classic	6/8	Fiberglass	Opaque	XX	Inswing & Outswing	55	50
Fiber-Classic	8/0	Fiberglass	Opaque	XX	Inswing & Outswing	47	47
Fiber-Classic	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+55 -60	50
Fiber-Classic	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	55	50
Fiber-Classic	6/8	Fiberglass	Opaque	X/O	Inswing & Outswing	+50 -55	50
Fiber-Classic	8/0	Fiberglass	Opaque	X/O	Inswing & Outswing	None	none
Fiber-Classic	6/8	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	+50 -55	50
Fiber-Classic	8/0	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Fiber-Classic	6/8	Fiberglass	Opaque	OXO/O	Inswing & Outswing	+50 -55	50
Fiber-Classic	8/0	Fiberglass	Opaque	OXO/O	Inswing & Outswing	None	none
Smooth-Star	6/8	Fiberglass	Opaque	X	Inswing & Outswing	67	50
Smooth-Star	8/0	Fiberglass	Opaque	X	Inswing & Outswing	67	50
Smooth-Star	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+50 -55	50
Smooth-Star	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+60 -65	50

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Smooth-Star	6/8	Fiberglass	Opaque	OXO	Inswing & Outswing	+50 -55	50
Smooth-Star	8/0	Fiberglass	Opaque	OXO	Inswing & Outswing	+60 -65	50
Smooth-Star	6/8	Fiberglass	Opaque	XX	Inswing & Outswing	55	50
Smooth-Star	8/0	Fiberglass	Opaque	XX	Inswing & Outswing	47	47
Smooth-Star	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+55 -60	50
Smooth-Star	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	55	50
Smooth-Star	6/8	Fiberglass	Opaque	X/O	Inswing & Outswing	+50 -55	50
Smooth-Star	8/0	Fiberglass	Opaque	X/O	Inswing & Outswing	None	none
Smooth-Star	6/8	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	+50 -55	50
Smooth-Star	8/0	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Smooth-Star	6/8	Fiberglass	Opaque	OXO/O	Inswing & Outswing	+50 -55	50
Smooth-Star	8/0	Fiberglass	Opaque	OXO/O	Inswing & Outswing	None	none
Fiber-Classic	6/8	Fiberglass	Flush Glazed	X	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	X	Inswing & Outswing	60	50
Fiber-Classic	6/8	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	60	50
Fiber-Classic	6/8	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	60	50
Fiber-Classic	6/8	Fiberglass	Flush Glazed	XX	Inswing & Outswing	47	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	XX	Inswing & Outswing	47	47
Fiber-Classic	6/8	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55 -65	50
Fiber-Classic	6/8	Fiberglass	Flush Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	+55 -65	50
Fiber-Classic	6/8	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	+55 -65	50
Fiber-Classic	6/8	Fiberglass	Flush Glazed	X/O	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	X/O	Inswing & Outswing	None	none
Fiber-Classic	6/8	Fiberglass	Flush Glazed	XO/O jamb and mull hinged	Inswing & Outswing	+47 -50	47
Fiber-Classic	8/0	Fiberglass	Flush Glazed	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Fiber-Classic	6/8	Fiberglass	Flush Glazed	OXO/O	Inswing & Outswing	+47 -50	47

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Fiber-Classic	8/0	Fiberglass	Flush Glazed	OXO/O	Inswing & Outswing	None	none
Fiber-Classic	6/8	Fiberglass	Glazed	X	Inswing & Outswing	+55-60	50
Fiber-Classic	8/0	Fiberglass	Glazed	X	Inswing & Outswing	55	50
Fiber-Classic	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55-60	50
Fiber-Classic	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	55	50
Fiber-Classic	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	+55-60	50
Fiber-Classic	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	55	50
Fiber-Classic	6/8	Fiberglass	Glazed	XX	Inswing & Outswing	47	47
Fiber-Classic	8/0	Fiberglass	Glazed	XX	Inswing & Outswing	47	47
Fiber-Classic	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55-60	50
Fiber-Classic	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+40-50	none
Fiber-Classic	6/8	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	+55-60	50
Fiber-Classic	8/0	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	none	none
Fiber-Classic	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	+55-60	50
Fiber-Classic	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	+40-50	none
Fiber-Classic	6/8	Fiberglass	Glazed	X/O	Inswing & Outswing	50	50
Fiber-Classic	8/0	Fiberglass	Glazed	X/O	Inswing & Outswing	none	none
Fiber-Classic	6/8	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	50	50
Fiber-Classic	8/0	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	none	none
Fiber-Classic	6/8	Fiberglass	Glazed	OXO/O	Inswing & Outswing	50	50
Fiber-Classic	8/0	Fiberglass	Glazed	OXO/O	Inswing & Outswing	none	none
Smooth-Star	6/8	Fiberglass	Glazed	X	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Glazed	X	Inswing & Outswing	55	50
Smooth-Star	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	55	50
Smooth-Star	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	55	50
Smooth-Star	6/8	Fiberglass	Glazed	XX	Inswing & Outswing	47	47
Smooth-Star	8/0	Fiberglass	Glazed	XX	Inswing & Outswing	47	47
Smooth-Star	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+40-50	none

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Smooth-Star	6/8	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	none	none
Smooth-Star	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	+40-50	none
Smooth-Star	6/8	Fiberglass	Glazed	X/O	Inswing & Outswing	50	50
Smooth-Star	8/0	Fiberglass	Glazed	X/O	Inswing & Outswing	none	none
Smooth-Star	6/8	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	50	50
Smooth-Star	8/0	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	none	none
Smooth-Star	6/8	Fiberglass	Glazed	OXO/O	Inswing & Outswing	50	50
Smooth-Star	8/0	Fiberglass	Glazed	OXO/O	Inswing & Outswing	none	none
Profiles	6/8	Fiberglass	Opaque	X	Inswing & Outswing	67	50
Profiles	8/0	Fiberglass	Opaque	X	Inswing & Outswing	60	50
Profiles	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+50 -55	50
Profiles	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	40	none
Profiles	6/8	Fiberglass	Opaque	OXO	Inswing & Outswing	+50 -55	50
Profiles	8/0	Fiberglass	Opaque	OXO	Inswing & Outswing	40	none
Profiles	6/8	Fiberglass	Opaque	XX	Inswing & Outswing	+50 -53	50
Profiles	8/0	Fiberglass	Opaque	XX	Inswing & Outswing	47	47
Profiles	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+70 -75	50
Profiles	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	60	50
Profiles	6/8	Fiberglass	Opaque	X/O	Inswing & Outswing	+50 -55	50
Profiles	8/0	Fiberglass	Opaque	X/O	Inswing & Outswing	None	none
Profiles	6/8	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	+50 -55	50
Profiles	8/0	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Profiles	6/8	Fiberglass	Opaque	OXO/O	Inswing & Outswing	+50 -55	50
Profiles	8/0	Fiberglass	Opaque	OXO/O	Inswing & Outswing	None	none
Traditions	6/8	Fiberglass	Opaque	X	Inswing & Outswing	67	50
Traditions	8/0	Fiberglass	Opaque	X	Inswing & Outswing	60	50
Traditions	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+50 -55	50
Traditions	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	40	none
Traditions	6/8	Fiberglass	Opaque	OXO	Inswing & Outswing	+50 -55	50

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Traditions	8/0	Fiberglass	Opaque	OXO	Inswing & Outswing	40	none
Traditions	6/8	Fiberglass	Opaque	XX	Inswing & Outswing	+50 -53	50
Traditions	8/0	Fiberglass	Opaque	XX	Inswing & Outswing	47	47
Traditions	6/8	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	+70 -75	50
Traditions	8/0	Fiberglass	Opaque	OX and XO jamb and mull hinged	Inswing & Outswing	60	50
Traditions	6/8	Fiberglass	Opaque	X/O	Inswing & Outswing	+50 -55	50
Traditions	8/0	Fiberglass	Opaque	X/O	Inswing & Outswing	None	none
Traditions	6/8	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	+50 -55	50
Traditions	8/0	Fiberglass	Opaque	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Traditions	6/8	Fiberglass	Opaque	OXO/O	Inswing & Outswing	+50 -55	50
Traditions	8/0	Fiberglass	Opaque	OXO/O	Inswing & Outswing	None	none
Profiles	6/8	Fiberglass	Glazed	X	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	X	Inswing & Outswing	47	47
Profiles	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+35 -50	none
Profiles	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	+35 -50	none
Profiles	6/8	Fiberglass	Glazed	XX	Inswing & Outswing	47	47
Profiles	8/0	Fiberglass	Glazed	XX	Inswing & Outswing	45	none
Profiles	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	35	none
Profiles	6/8	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	35	none
Profiles	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	35	none
Profiles	6/8	Fiberglass	Glazed	X/O	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	X/O	Inswing & Outswing	None	none
Profiles	6/8	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Profiles	6/8	Fiberglass	Glazed	OXO/O	Inswing & Outswing	50	50
Profiles	8/0	Fiberglass	Glazed	OXO/O	Inswing & Outswing	None	none

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Traditions	6/8	Fiberglass	Glazed	X	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	X	Inswing & Outswing	47	47
Traditions	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+35 -50	none
Traditions	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	+35 -50	none
Traditions	6/8	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	35	none
Traditions	6/8	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	35	none
Traditions	6/8	Fiberglass	Glazed	OXO	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	OXO	Inswing & Outswing	35	none
Traditions	6/8	Fiberglass	Glazed	X/O	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	X/O	Inswing & Outswing	None	none
Traditions	6/8	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	XO/O jamb and mull hinged	Inswing & Outswing	None	none
Traditions	6/8	Fiberglass	Glazed	OXO/O	Inswing & Outswing	50	50
Traditions	8/0	Fiberglass	Glazed	OXO/O	Inswing & Outswing	None	none
Smooth-Star	6/8	Fiberglass	Flush Glazed	X	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	X	Inswing & Outswing	60	50
Smooth-Star	6/8	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	60	50
Smooth-Star	6/8	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	+55-60	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	60	50
Smooth-Star	6/8	Fiberglass	Flush Glazed	XX	Inswing & Outswing	47	47
Smooth-Star	8/0	Fiberglass	Flush Glazed	XX	Inswing & Outswing	47	47
Smooth-Star	6/8	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55-65	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	OX and XO jamb and mull hinged	Inswing & Outswing	+55-60	50
Smooth-Star	6/8	Fiberglass	Flush Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	+55-65	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	OOX and XOO jamb and mull hinged	Inswing & Outswing	+55-65	50
Smooth-Star	6/8	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	+55-65	50

Category	Height	Species	Panel Type	Configuration	Swing	DP	DP Label
Smooth-Star	8/0	Fiberglass	Flush Glazed	OXO	Inswing & Outswing	+55-65	50
Smooth-Star	6/8	Fiberglass	Flush Glazed	X/O	Inswing & Outswing	50	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	X/O	Inswing & Outswing	none	none
Smooth-Star	6/8	Fiberglass	Flush Glazed	XO/O jamb and mull hinged	Inswing & Outswing	50	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	XO/O jamb and mull hinged	Inswing & Outswing	none	none
Smooth-Star	6/8	Fiberglass	Flush Glazed	OXO/O	Inswing & Outswing	50	50
Smooth-Star	8/0	Fiberglass	Flush Glazed	OXO/O	Inswing & Outswing	none	none